Table 21C 2001 Pediatric Nutrition Surveillance (1) Kentucky

Page:

1995

1994

1993

1992

20,178

19,682

18,037

7,600

Run Date: 8 / 20 / 02

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)										
Age and Year		Anemia Low Hb/Hct (4)		Age and Year	Anemia Low Hb/Hct (4)					
		Number	%		Number	%				
6 - 11 Months	2001 2000 1999 1998 1997 1996 1995 1994 1993 1992	4,434 3,901 1,195 3,967 4,668 5,607 6,617 7,641 6,589 2,318	17.5 16.6 15.5 15.9 17.3 16.6 17.8 18.4 18.3 17.9	18 - 23 Months 2001 2000 1999 1998 1997 1996 1995 1994 1993 1992	10,245 9,597 3,315 8,828 9,194 10,991 12,307 12,207 10,840 4,744	13.4 11.6 9.7 11.8 14.4 15.4 16.5 16.5 15.3 14.5				
12 - 17 Months	2001 2000 1999 1998 1997 1996	17,311 17,467 4,821 13,792 14,986 17,804	15.0 14.2 13.6 13.4 14.4 14.3	24 - 35 Months 2001 2000 1999 1998 1997 1996	17,457 17,478 6,153 15,707 17,200 19,119	14.1 13.0 12.1 12.8 14.9 14.9				

1995

1994

1993

1992

16.2

16.7

17.0

15.5

18,584

18,035

14,100

5,703



16.5

16.8

17.0

15.2

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 21C 2001 Pediatric Nutrition Surveillance (1) Kentucky

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)	

Page:

Run Date: 8 / 20 / 02

Summary of Trends in Anemia by Age (3)									
Age and Year		Anemia Low Hb/Hct (4)			Age and Year	Anemia Low Hb/Hct (4)			
		Number	%			Number %			
36 - 59 Months	2001 2000 1999 1998 1997 1996 1995 1994 1993 1992	28,254 28,155 9,239 26,530 27,684 31,541 33,918 31,481 26,313 10,662	8.3 7.4 7.5 8.2 9.9 10.0 10.7 11.0 11.1						
Total All Age Gro	2001 2000 1999 1998 1997 1996 1995 1994 1993 1992	77,701 76,598 24,723 68,824 73,732 85,062 91,604 89,046 75,879 31,027	12.3 11.2 10.5 11.2 13.0 13.1 14.4 14.8 14.8						

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.